Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	9	@ad<"20000831" and (information with exchange with system) and standard\$5 with (product or component or characteristic) near (data or information) and "705"/.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/11 14:37
L2	3	@ad<"20000831" and (information same exchange same system) and (generat\$3 or creat\$3 or establish\$3) with standard\$5 with (product or component or characteristic) near (data or information) and "705"/.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/11 14:40
L3	9	@ad<"20000831" and (information same exchange same system) and (generat\$3 or creat\$3 or establish\$3) with standard\$5 with (product or component or characteristic) near (data or information)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR,	ON	2005/01/11 14:46
L4	0	@ad<"20000831" and "709"/.ccls. and (generat\$3 or creat\$3 or establish\$3) with standard\$5 near (product or component or characteristic) near (data or information)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON .	2005/01/11 14:48
L5	3	@ad<"20000831" and "705"/.ccls. and (generat\$3 or creat\$3 or establish\$3) with standard\$5 near (product or component or characteristic) near (data or information)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/11 14:49
L6	3	@ad<"20000831" and "707"/.ccls. and (generat\$3 or creat\$3 or establish\$3) with standard\$5 near (product or component or characteristic) near (data or information)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/11 14:49
S1	3	@ad<"20000831" and (receiv\$3 and (convert\$3 or examin\$3)) with (characteristic adj data) same standard\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/10 16:42
S2	6	@ad<"20000831" and (convert\$3 or examin\$3) same (characteristic adj data) same (standard\$4 near (characteristic adj data))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/10 16:44
S3	0	@ad<"20000831" and (convert\$3 or examin\$3) same (characteristic adj data) same (standard\$4 near (characteristic adj data)) and network and exchange near system	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/10 16:44
S4	0	@ad<"20000831" and (convert\$3 or examin\$3) same (characteristic adj data) same (standard\$4 near (characteristic adj data)) and network	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/10 16:45

Updated Search

					·	· · · · · · · · · · · · · · · · · · ·
S5	8	@ad<"20000831" and (convert\$3 or examin\$3) same (standard\$4 with (characteristic adj data)) and network	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/10 16:45
S6	2	@ad<"20000831" and (receiv\$3 or convert\$3 or examin\$3 or standardiz\$3) with (characteristic adj (data or information)) same (standard\$4 adj (data or information))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	-2005/01/10 16:47
S7	. 0	@ad<"20000831" and (receiv\$3 or convert\$3 or examin\$3 or standardiz\$3) same (characteristic adj (data or information)) same (standard\$4 adj (data or information)) and exchang\$3 same (system or network)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/10 16:48
S8	0	@ad<"20000831" and (receiv\$3 or convert\$3 or examin\$3 or standardiz\$3) same (characteristic adj (data or information)) same (standard\$4 adj (data or information)) and exchang\$3 and (system or network)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/10 16:48
S9	29	@ad<"20000831" and (receiv\$3 or convert\$3 or examin\$3 or standardiz\$3) same (characteristic adj (data or information)) and (standard\$4 adj (data or information)) and exchang\$3 and (system or network)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/10 16:49
S10	16	@ad<"20000831" and (receiv\$3 or convert\$3 or examin\$3 or standardiz\$3) same (characteristic adj (data or information)) and (standard\$4 adj (data or information)) and (exchang\$3 or network) near system	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/10 16:51
S11	14	@ad<"20000831" and (receiv\$3 or convert\$3 or examin\$3 or standardiz\$3) same (characteristic adj (data or information)) same standard\$4 and (exchang\$3 or network) near system	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/10 16:54
S12	26	@ad<"20000831" and (receiv\$3 or convert\$3 or examin\$3 or standardiz\$3) same (characteristic adj (data or information)) same standard\$4 and (generat\$3 or convert\$3) same (data near standard) and ((seek adj time) or rate or exchang\$3 or (network or system))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON .	2005/01/10 16:55

S13	11	@ad<"20000831" and (receiv\$3 or convert\$3 or examin\$3 or standardiz\$3) same (characteristic adj (data or information)) same standard\$4 and (generat\$3 or convert\$3) same (data near standard) and ((seek adj time) or rate or exchang\$3) and (network or system)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/10 16:57
S14	2	@ad<"20000831" and (receiv\$3 or convert\$3 or examin\$3 or standardiz\$3) with (characteristic adj (data or information)) same standard\$4 and (generat\$3 or convert\$3) same (data near standard) and ((seek adj time) or rate or exchang\$3) and (network or system)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/10 16:58
S15	53	@ad<"20000831" and (receiv\$3 or convert\$3 or examin\$3 or standardiz\$3 or generat\$3) with (characteristic adj (data or information)) same standard\$4 and ((seek adj time) or rate or exchang\$3) and (network or system)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/10 16:59
S16	30	@ad<"20000831" and (receiv\$3 or convert\$3 or examin\$3 or standardiz\$3 or generat\$3) with (characteristic adj (data or information)) same standard\$4 and ((seek adj time) or rate or exchang\$3) same (network or system)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/10 17:02
S17	2	@ad<"20000831" and (information near exchang\$3 near system) and (receiv\$3 or convert\$3 or examin\$3 or standardiz\$3 or generat\$3) with (characteristic adj (data or information)) and ((seek adj time) or rate or exchang\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/10 17:01
S18	0	@ad<"20000831" and (information near exchang\$3 near system) and (receiv\$3 or convert\$3 or examin\$3 or standardiz\$3 or generat\$3) with (characteristic adj (data or information)) and ((seek adj time) or rate)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/10 17:02
S19	2	@ad<"20000831" and (information near exchang\$3 near system) and (receiv\$3 or convert\$3 or examin\$3 or standardiz\$3 or generat\$3) with (characteristic adj (data or information))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/10 17:02

S20	21	@ad<"20000831" and (receiv\$3 or convert\$3 or examin\$3 or standardiz\$3 or generat\$3) with (characteristic adj (data or information)) with standard\$4 and ((seek adj time) or rate or exchang\$3) same (network or system)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/10 17:04
S21	0	@ad<"20000831" and (receiv\$3 or convert\$3 or examin\$3 or standardiz\$3 or generat\$3) near (characteristic adj (data or information)) with standard\$4 and ((seek adj time) or rate) and (exchang\$3 near (network or system))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR ·	ON	2005/01/10 17:05
S22	12	@ad<"20000831" and (receiv\$3 or convert\$3 or examin\$3 or standardiz\$3 or generat\$3) near (characteristic adj (data or information)) with standard\$4 and ((seek adj time) or rate)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/10 17:06
S23	2	@ad<"20000831" and (receiv\$3 or convert\$3 or examin\$3 or standardiz\$3 or generat\$3) adj (characteristic adj (data or information)) with (standard\$4 near characteristic near (data or information))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/10 17:07
S24	2	@ad<"20000831" and (receiv\$3 or convert\$3 or examin\$3 or standardiz\$3 or generat\$3) adj (characteristic adj (data or information)) with (standard\$4 near (data or information))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/10 17:07
S25	4	@ad<"20000831" and (receiv\$3 or convert\$3 or examin\$3 or standardiz\$3 or generat\$3) adj (characteristic adj (data or information)) with (standard\$4 with (data or information))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/10 17:07
S26	47	@ad<"20000831" and (receiv\$3 or convert\$3 or examin\$3) with ((characteristic adj data) or (seek adj (rate or time))) same standard\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/10 17:11
S27	52	@ad<"20000831" and (receiv\$3 or convert\$3 or examin\$3) with ((characteristic adj data) or (seek adj (rate or time))) with component	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/10 17:25
S28	11	@ad<"20000831" and (calculat\$3 or generat\$3 or convert\$3 or examin\$3) with ((characteristic adj data) with standard\$5) with (product or device or component)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/10 17:27

S29	0	@ad<"20000831" and (calculat\$3 or generat\$3 or convert\$3 or examin\$3 or standard\$5) with ((characteristic adj data)) with (product or device or component) same (exchang\$3 near information near system)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/10 17:28
S30	0	@ad<"20000831" and (calculat\$3 or generat\$3 or convert\$3 or examin\$3 or standard\$5) with ((characteristic adj data)) with (product or device or component) and (exchang\$3 near information near system)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/10 17:28
S31	0	@ad<"20000831" and (calculat\$3 or generat\$3 or convert\$3 or examin\$3 or standard\$5) with ((characteristic adj data)) same (product or device or component) and (exchang\$3 near information near system)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/10 17:28
S32	0	@ad<"20000831" and (calculat\$3 or generat\$3 or convert\$3 or examin\$3 or standard\$5)same ((characteristic adj data)) same (product or device or component) and (exchang\$3 near information near system)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/10 17:28
S33	0	@ad<"20000831" and (calculat\$3 or generat\$3 or convert\$3 or examin\$3 or standard\$5) same ((characteristic adj data)) same (product or device or component) and (exchang\$3 near information near system)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/10 17:29
S34	0	@ad<"20000831" and (calculat\$3 or generat\$3 or convert\$3 or examin\$3 or standard\$5) same ((characteristic adj data)) and (exchang\$3 near information near system)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/11 11:03
S35	0	@ad<"20000831" and (calculat\$3 or generat\$3 or convert\$3 or examin\$3 or standard\$5) near ((characteristic OR device OR component OR product) ADJ (information OR data)) and (exchang\$3 near information near system)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/11 11:06
S36	1698	@ad<"20000831" and (calculat\$3 or generat\$3 or convert\$3 or examin\$3 or standard\$5) near ((characteristic OR device OR component OR product) ADJ (information OR data))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/11 11:08
S37	62	@ad<"20000831" and (calculat\$3 or generat\$3 or convert\$3 or examin\$3 or standard\$5) near ((characteristic OR device OR component OR product) ADJ (information OR data)) near (standard\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/11 11:12

S38	0	@ad<"20000831" and (calculat\$3 or generat\$3 or convert\$3 or examin\$3) near ((characteristic OR device OR component OR product) ADJ (information OR data)) near (standard\$5) and (exchang\$3 near information)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/11 11:11
S39	0	@ad<"20000831" and (calculat\$3 or generat\$3 or convert\$3 or examin\$3) near ((characteristic OR device OR component OR product) ADJ (information OR data)) near (standard\$5) and (exchang\$3 with information)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/11 11:11
S40	0	@ad<"20000831" and (calculat\$3 or generat\$3 or convert\$3 or examin\$3) near ((characteristic OR device OR component OR product) ADJ (information OR data)) near (standard\$5) and buyer and seller	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/11 11:11
S41	99	@ad<"20000831" and (calculat\$3 or generat\$3 or convert\$3 or examin\$3 or standard\$5) WITH ((characteristic OR device OR component OR product) ADJ (information OR data)) WITH (standard\$5) and exchange WITH information	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/11 11:13
S42	70	@ad<"20000831" and (calculat\$3 or generat\$3 or convert\$3 or examin\$3 or standard\$5) WITH ((characteristic OR device OR component OR product) ADJ (information OR data)) WITH (standard\$5) and exchange NEAR information	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR .	ON	2005/01/11 11:13
S43	26	@ad<"20000831" and (calculat\$3 or generat\$3 or convert\$3 or examin\$3 or standard\$5) WITH ((characteristic OR device OR component OR product) ADJ (information OR data)) WITH (standard\$5) and exchang\$3 NEAR information and "709"/.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/11 11:17
S44	0	@ad<"20000831" and (calculat\$3 or generat\$3 or convert\$3 or examin\$3 or standard\$5) WITH ((characteristic OR device OR component OR product) ADJ (information OR data)) same (standard\$5 NEAR (data or information)) and exchang\$3 NEAR information and "709"/.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/11 11:16

S45	0	@ad<"20000831" and (calculat\$3 or generat\$3 or convert\$3 or examin\$3 or standard\$5) WITH ((characteristic OR device OR component OR product) ADJ (information OR data)) NEAR (standard\$5) and exchang\$3 NEAR information and "709"/.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/11 11:18
S46	0	@ad<"20000831" and (calculat\$3 or generat\$3 or convert\$3 or examin\$3) NEAR ((characteristic OR device OR component OR product) ADJ (information OR data)) WITH (standard\$5) and (exchang\$3 NEAR information) and "709"/.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/11 11:19
S47	1	@ad<"20000831" and (calculat\$3 or generat\$3 or convert\$3 or examin\$3) NEAR ((characteristic OR device OR component OR product) ADJ (information OR data)) SAME (standard\$5) and (exchang\$3 NEAR information)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/11 11:20
S48		@ad<"20000831" and (generat\$3 or convert\$3 or examin\$3) NEAR ((characteristic OR device OR component OR product) ADJ (information OR data)) SAME (standard\$5) and (exchang\$3 WITH information)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/11 11:21
S49	15	@ad<"20000831" and (generat\$3 or convert\$3 or examin\$3) NEAR ((characteristic OR device OR component OR product) ADJ (information OR data)) SAME (standard\$5 NEAR (data or information))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/11 11:23
S50	0	@ad<"20000831" and (generat\$3 or convert\$3 or examin\$3) NEAR ((characteristic OR device OR component OR product) ADJ (information OR data)) SAME (standard\$5 with (data or information)) AND (exchang\$3 SAME information SAME system)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/11 11:24
S51	1	@ad<"20000831" and (generat\$3 or convert\$3 or examin\$3) NEAR ((characteristic OR device OR component OR product) ADJ (information OR data)) SAME (standard\$5 with (data or information)) AND (exchang\$3 SAME information)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/11 11:25

S52	0	@ad<"20000831" and (information adj exchange adj system) and standard\$5 near (product or component or characteristic) near (data or information)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/11 11:27
S53	5	@ad<"20000831" and (information adj exchange adj system) and standard\$5 with (product or component or characteristic) near (data or information)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/11 11:28
S54	36	@ad<"20000831" and (information with exchange with system) and standard\$5 with (product or component or characteristic) near (data or information)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/11 14:36